

SAFETY DATA SHEET

Pentane, -n

This MSDS is valid for all grades and catalog #'s

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF SUPPLIER

Product Identifier: Synonyms: Other means of identification: High Purity Chemicals Amyl hydride CAS No. 109-66-0 EINECS No. 203-692-4

Pharmco Products, Inc.

Recommended use of the chemical and restrictions on use: General use solvent



Part #'s: P1121, P1124

Supplier Details:

Pharmco Products, Inc. 58 Vale Road, Brookfield, CT 06804, USA. Tel: 203.740.3471 Fax: 203.740.3481 CCN17213

Emergency Contact:

1101 Isaac Shelby Drive, Shelbyville, KY 40065, USA.

Tel: 502.232.7600 Fax: 502.633.6100 CCN17213

CHEMTREC: 1.800.424.9300 (USA) / +1.703.527.3887 (International)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Target organ effect

Target Organs:

Central nervous system, Heart, Lungs

NFPA



GHS label elements, including precautionary statements



Signal Word: DANGER!

| Hazard statement(s) | |
|----------------------------|--|
| H224 | Extremely flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P261 | Avoid breathing dust/fumes/gas/mist/vapors. |
| P273 | Avoid release to the environment. |
| P312 | Call a POISON CENTER or doctor/ physician if you feel unwell. |
| P391 | Collect spillage. |
| P501 | Dispose of contents and container to an approved waste disposal plant. |
| P331 | Do NOT induce vomiting. |
| P240 | Ground/bond container and receiving equipment. |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or a doctor/ physician. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| P210 | Keep away from heat, sparks, open flames, and hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P403 | Store in a well-ventilated place. |
| P243 | Take precautionary measures against static discharge. |
| P241 | Use explosion-proof electrical, ventilating, and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves and eye and face protection. |

+1.703.527.3887 (INT)



GHS Classification(s)

Aspiration hazard (Category 1) Chronic aquatic toxicity (Category 2) Flammable Liquids (Category 1) Specific target organ toxicity - single exposure (Category 3)

Other hazards which do not result in classification:

Potential Health Effects:

| Organ | Description | | |
|------------|---|--|--|
| Eyes | Causes irritation, redness, and pain. | | |
| Ingestion | Can be harmful if ingested. Product causes damage if aspirated into the lungs. | | |
| Inhalation | Inhalation of vapors can irritate the mucous membranes and upper respiratory tract. Can cause lightheadedness, dizziness, drowsiness and nausea. High vapor concentrations can cause unconsciousness and death. | | |
| Skin | Can be irritating to the skin. Symptoms include redness, itching, and pain. Prolonged and/or repeated contact can cause defatting of the skin and dermatitis. Skin contact can cause thickening of the skin and ulceration. | | |

3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Chemical identity: | n-Pentane |
|------------------------|--------------|
| Common name / Synonym: | Amyl hydride |
| CAS number: | 109-66-0 |
| EINECS number: | 203-692-4 |
| ICSC number: | 0534 |
| RTECS #: | RZ9450000 |
| UN #: | 1265 |
| EC #: | 601-006-00-1 |
| | |

| % Weight | Material | CAS |
|----------|-----------|----------|
| 100 | n-Pentane | 109-66-0 |

4. FIRST AID MEASURES

General advice

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Skin

Wash skin with soap and copious amounts of water. Seek medical attention.

Inhalation



Remove person to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.

Eyes

Flush eyes with water as a precaution.

Ingestion

DO NOT induce vomiting. If vomiting does occur, have victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Carbon oxides expected to be the primary hazardous combustion product.

Special protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

Flammable Properties

Classification OSHA/NFPA Class IA Flammable Liquid. Flash point -40 °C (-40 °F) - Closed Cup Autoignition temperature 260 °C (500 °F)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear respiratory protection. Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions:

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up:

Contain spill, then collect with an electrically protected vacuum cleaner or by wet-brushing and put the material into a convenient waste disposal container. Keep container closed.

Initials: MW



7. HANDLING AND STORAGE

Precautions for safe handling:

Do not get on skin or in eyes. Do not inhale vapor or mist. Flash back possible over considerable distance. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

Conditions for safe storage, including any incompatibilites:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters, e.g., occupational exposure limit values or biological limit values:

| Occupational Exposure Limits | | | | |
|------------------------------|-----------|------|----------------------|---|
| Component | Source | Туре | Value | Note |
| n-Pentane | US (OSHA) | TWA | 1000 ppm, 2950 mg/m3 | 29 CFR 1910.1000 Table Z-1 Limits for Air Contaminants |
| n-Pentane | US (OSHA) | STEL | 750 ppm, 2250 mg/m3 | 29 CFR 1910.1000 Table Z-1 Limits for Air Contaminants |

Appropriate engineering controls:

General room or local exhaust ventilation is usually required to meet exposure limit(s). Electrical equipment should be grounded and conform to applicable electrical code.

Individual protection measures, such as personal protective equipment:

Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Use equipment approved by appropriate government standards, such as NIOSH (US) or EN166 (EU) Maintain eye wash fountain and quick-drench facilities in work area.



Skin and body protection:

Wear impervious, flame retardant, antistatic protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance (physical state, color, etc.) | Liquid. Colorless, clear. |
|--|-------------------------------------|
| Odor | Specific data not available |
| Odor threshold | Specific data not available |
| рН | Specific data not available |
| Freezing point | -130 °C (-202 °F) |
| Initial boiling point and boiling range | 36 °C (97 °F) |
| Flash point | -40 °C (-40 °F) - Closed Cup |
| Evaporation rate | Specific data not available |
| Flammability (solid, gas) | Flammable |
| Upper / Lower flammability or explosive limits | 7.8% (V) / 1.5% (V) |
| Vapor pressure | 579 hPa (434 mmHg) at 20 °C (68 °F) |
| Vapor Density | 2.5 (air = 1) |
| Relative Density | 0.626 g/cm3 at 25 °C (77 °F) |
| Solubility(ies) | insoluble in water |
| Partition coefficient n-octanol/water(ies) | log Pow: 3.4 |
| Auto-ignition temperature | 260 °C (500 °F) |
| Decomposition temperature | Specific data not available |
| Formula (PENTANE) | C5H12 |
| Molecular Weight (PENTANE) | 72.15 g/mol |

10. STABILITY AND REACTIVITY

| Stable under recommended storage conditions. |
|--|
| Vapors may form explosive mixture with air. |
| Heat, flames, and sparks. Extreme temperatures and direct |
| sunlight. |
| Strong oxidizing agents |
| Carbon oxides are expected to be, under fire conditions, the primary hazardous decomposition products. |
| |

11. TOXICOLOGICAL INFORMATION



• n-Pentane 109-66-0

Product Summary:

No data available for the mutagenic, teratogenic, or reproductive effects of the product. No data available to designate product to cause specific target organ toxicity through repeated exposure.

Acute Toxicity:

| LC50 (Inhalation) | Rat | 364,000 mg/m3 | 4 hours |
|-------------------|--------|---------------|---------|
| LD50 (Dermal) | Rabbit | 3,000 mg/kg | |
| LD50 (Oral) | Mouse | 5,000 mg/kg | |

Irritation:

Eyes No data available.

Skin

Rabbit - no skin irritation

Aspiration Hazard

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard

Specific target organ toxicity - single exposure (Globally Harmonized System)

Inhalation - May cause drowsiness or dizziness. - Central Nervous System

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other Hazards

| Organ | Description | | |
|------------|---|--|--|
| Eyes | Causes irritation, redness, and pain. | | |
| Ingestion | May be harmful if ingested. Product causes damage if aspirated into the lungs. | | |
| Inhalation | Inhalation of vapors may irritate the mucous membranes and upper respiratory tract. May cause lightheadedness, dizziness, drowsiness and nausea. High vapor concentrations may cause unconsciousness and death. | | |



| | May be irritating to the skin. Symptoms include redness, itching, and pain. Prolonged and/or repeated |
|------|---|
| Skin | contact may cause defatting of the skin and dermatitis. Skin contact may cause thickening of the skin |
| | and ulceration. |

12. ECOLOGICAL INFORMATION

• n-Pentane 109-66-0

Ecotoxicity (aquatic and terrestrial, where available): Toxicity to Daphnia (PENTANE)

EC50 / 48 hours / Water flea - 9.74 mg/L

Persistence and degradability:

Readily biodegradable.

Bioaccumulative potential:

No data available

Other adverse effects:

Can be considered an environmental hazard through improper use or improper disposal.

13. DISPOSAL CONSIDERATIONS

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

14. TRANSPORT INFORMATION

Description of waste residues and information on their safe handling and methods of disposal:

| UN number | 1265 |
|-------------------------------|----------|
| UN proper shipping name | Pentanes |
| Transport hazard class(es) | 3 |
| Packing group (if applicable) | |

IMDG

UN-Number: 1265 Class: 3 Packing Group: II



EMS-No: F-E, S-D Proper shipping name: PENTANES Marine pollutant: No IATA UN-Number: 1265 Class: 3 Packing Group: II Proper shipping name: Pentanes

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question:

OSHA Hazards

Flammable liquid, Target organ effect

All ingredients are on the following inventories or are exempted from listing

| Country | Notification |
|--------------------------|--------------|
| Australia | AICS |
| Canada | DSL |
| China | IECS |
| European Union | EINECS |
| Japan | ENCS/ISHL |
| Korea | ECL |
| New Zealand | NZIOC |
| Philippines | PICCS |
| United States of America | TSCA |

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard Fire Hazard

CERCLA

No chemicals in this material with known CAS numbers are subject to the reporting requirements of CERCLA

Massachusetts Right To Know Components

n-Pentane CAS-No. 109-66-0 Revision Date 2007-03-01



Pennsylvania Right To Know Components

n-Pentane CAS-No. 109-66-0 Revision Date 2007-03-01

New Jersey Right To Know Components

n-Pentane CAS-No. 109-66-0 Revision Date 2007-03-01

California Prop 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION: INCLUDING INFORMATION ON PREPARATION AND REVISION OF THE SDS

Disclaimer

PHARMCO-AAPER believes that the information on this MSDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, PHARMCO-AAPER does not assume responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this MSDS information may not be applicable. Information is correct to the best of our knowledge at the date of the MSDS publication.