



ph: (303) 762-0800 fax: (303) 762-1240

Part #: CF1179

# Safety Data Sheet Pluriol® P 2000

Revision date: 2015/04/30 Page: 1/9
Version: 2.0 (30044076/SDS GEN US/EN)

#### 1. Identification

#### Product identifier used on the label

# Pluriol® P 2000

# Recommended use of the chemical and restriction on use

Recommended use\*: Chemical

Suitable for use in industrial sector: chemical industry

### Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

# Other means of identification

Synonyms: polypropylenglycol

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Safety Data Sheet

Pluriol® P 2000

Revision date: 2015/04/30 Page: 2/9 Version: 2.0 (30044076/SDS GEN US/EN)

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### **Emergency overview**

**CAUTION:** 

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

INGESTION MAY CAUSE GASTRIC DISTURBANCES.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts/mists/vapours.

Wear NIOSH-certified chemical goggles.

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Wear chemical resistant protective gloves.

Eye wash fountains and safety showers must be easily accessible.

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

# According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS NumberContent (W/W)Chemical name25322-69-4100.0 %polypropylenglycol

#### 4. First-Aid Measures

#### **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Rinse mouth and then drink plenty of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

Revision date: 2015/04/30 Page: 3/9 Version: 2.0 (30044076/SDS GEN US/EN)

# 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

#### **Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Keep people away and stay on the upwind side.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).

Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal.

# 7. Handling and Storage

#### Precautions for safe handling

Keep away from sources of ignition - No smoking.

Protection against fire and explosion:

Take precautionary measures against static discharges.

# Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4306 (V2A), Stainless steel 1.4361, Stove-lacquer RDL 50, Steel with polyethylene liner, enamelled, epoxy coated

Revision date: 2015/04/30 Page: 4/9 Version: 2.0 (30044076/SDS GEN US/EN)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The product is not damaged by low temperatures or by frost.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

# 8. Exposure Controls/Personal Protection

#### Personal protective equipment

### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/dust are formed.

# Hand protection:

Chemical resistant protective gloves

Consult with glove manufacturer for testing data.

#### Eye protection:

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and Chemical Properties

Form: liquid

Odour: product specific

Odour threshold: No data available.

Colour: colourless to yellowish

pH value: approx. 5 (50 g/l, 23 °C) (DIN EN 1262) (as an

emulsion)

solidification approx. -35 °C (DIN 51583)

temperature:

Boiling point: approx. 200 °C

Flash point: approx. 220 °C (DIN ISO 2592)

Flammability: not flammable

Autoignition:  $> 200 \, ^{\circ}\text{C}$  (DIN 51794) Vapour pressure:  $< 0.1 \, \text{hPa}$  (20  $^{\circ}\text{C}$ )

Density: approx. 1.0 (23 °C) (DIN 51757)

g/cm3

Relative density:

Vapour density:

No data available.

not determined

not determined

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

# Safety Data Sheet

Pluriol® P 2000

Revision date: 2015/04/30 Page: 5/9 Version: 2.0 (30044076/SDS GEN US/EN)

Thermal decomposition:

> 300 °C

not determined

Viscosity, dynamic: Viscosity, kinematic:

150 mm2/s

(40 °C) (DIN 51562)

. . . . .

440 mm2/s

( 20 °C)

Particle size:

The substance / product is marketed or

used in a non solid or granular form.

Solubility in water: Miscibility with water: insoluble not (e.g. <10%)

Solubility (qualitative):

soluble

solvent(s): non-polar solvents,

Molar mass: approx. 2,000

g/mol

Evaporation rate:

No data available.

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

# **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

# Conditions to avoid

See MSDS section 7 - Handling and storage.

# Incompatible materials

strong acids, strong bases, strong oxidizing agents, reactive chemicals

# **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 300 °C

# 11. Toxicological information

# Primary routes of exposure

# Safety Data Sheet

Pluriol® P 2000

Revision date: 2015/04/30 Page: 6/9 Version: 2.0 (30044076/SDS GEN US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### **Acute toxicity**

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

#### Oral

Type of value: LD50 Species: rat

Value: > 5,000 mg/kg

#### Inhalation

Type of value: LC50 Species: rat not determined

#### **Dermal**

Type of value: LD50 Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

#### Skin

Species: rabbit Result: non-irritant Method: Draize test

#### <u>Eye</u>

Species: rabbit Result: non-irritant Method: Draize test

#### Sensitization

Assessment of sensitization: No data available.

# **Aspiration Hazard**

No aspiration hazard expected.

#### **Chronic Toxicity/Effects**

#### Genetic toxicity

Assessment of mutagenicity: No data available concerning mutagenic effects.

#### Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

#### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

#### Teratogenicity

Assessment of teratogenicity: No data available.

Revision date: 2015/04/30 Page: 7/9 Version: 2.0 (30044076/SDS GEN US/EN)

# Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

# 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

Literature data.

Aquatic invertebrates

LC50 (48 h), daphnia

not determined

Aquatic plants

EC50 (72 h), algae

not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

# Microorganisms/Effect on activated sludge

Toxicity to microorganisms

activated sludge/EC50: > 1,000 mg/l

Inhibition of degradation activity in activated sludge is not to be anticipated during correct

introduction of low concentrations.

# Persistence and degradability

Elimination information

> 60 % BOD of the ThOD (28 d) (OECD Guideline 301 F) Readily biodegradable.

# Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

# **Additional information**

Sum parameter

Chemical oxygen demand (COD): 2,050 mg/g

Add. remarks environm. fate & pathway:

Revision date: 2015/04/30 Page: 8/9 Version: 2.0 (30044076/SDS GEN US/EN)

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not release untreated into natural waters.

# 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

#### Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

# 14. Transport Information

### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

# **Federal Regulations**

#### Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Not hazardous;

# State regulations

# CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

#### **NFPA Hazard codes:**

Health: 1 Fire: 1 Reactivity: 0 Special:

#### **HMIS III rating**

Health: 1 Flammability: 1 Physical hazard:0

Revision date: 2015/04/30 Page: 9/9 Version: 2.0 (30044076/SDS GEN US/EN)

#### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/04/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Pluriol® P 2000 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**