

Safety Data Sheet

1. IDENTIFICATION

Product Identifier: Pyridine, 10% v/v Aqueous, pH 6.7

Product Code(s): CF1198

Synonyms: Mixture.

Recommended Use: For manufacturing, industrial, and laboratory use only. Use as a catalyst, as a solvent, or as a laboratory reagent.

Uses Advised Against: Not for food, drug, or household use.

Supplier: Rocky Mountain Reagents, Inc.
4621 Technology Drive, Golden, CO 80403
Phone: (303) 762-0800 Fax: (303) 762-1240

Emergency Phone Number: (800) 255-3924 (CHEM-TEL)

2. HAZARDS IDENTIFICATION

Hazard Classifications: Flammable Liquids: Category 3

Signal Word: WARNING

Hazard Statements: Flammable liquid and vapor.

Pictograms:



Precautionary Statements:

Prevention: Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.
Keep container tightly closed.
Ground container and receiving equipment.
Use explosion-proof electrical, ventilating, lighting, and transportation equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves, eye protection, and face protection.

Response: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water. In case of fire: Use water spray, dry powder, alcohol resistant foam, or carbon dioxide to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: May be hazardous to the aquatic environment.

Toxicity Statement: Not applicable.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	Common Name / Synonyms	CAS#	Chemical Formula	% by Weight
Water	Water	7732-18-5	H ₂ O	89.8
Pyridine	Azine; Azabenzene	110-86-1	C ₅ H ₅ N	9.82
Phosphoric Acid	o-Phosphoric Acid	7664-38-2	H ₃ PO ₄	0.379

Trade Secret Statement: Not applicable.

4. FIRST AID MEASURES

First Aid Procedures:

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious, or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms occur.

Ingestion: Do not induce vomiting. If vomiting occurs, keep head low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Skin Contact: Wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if symptoms occur.

Eye Contact: Check for and remove contact lenses, if present and easy to do. Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician if symptoms occur.

General Advice: Poison information centers in each state can provide additional assistance for scheduled poisons. Ensure that those providing first aid and medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms and Effects: Irritation, burning, coughing, wheezing, shortness of breath, hoarseness, dizziness, laryngitis, headache, nausea, vomiting, diarrhea, tachycardia. Harmful if swallowed, inhaled, absorbed through the skin. May cause irritation if exposed to the eyes. Prolonged or repeated exposure may cause mutagenic effects.

Immediate Medical Care/ Special Treatment: Call a poison control center or doctor if you feel unwell or are concerned. Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, dry powder, alcohol resistant foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream, as it may scatter and spread fire.

Hazardous Combustion Products: Carbon oxides, nitrogen oxides, toxic fumes.

Specific Hazards: Combustible. Vapors may cause flash fire or ignite explosively. Can be ignited by heat, sparks, or flames and burns vigorously. Material may burn with an invisible flame. Sealed containers may explode when heated or involved in fire. Material is sensitive to static discharge. Vapors may travel considerable distance to source of ignition and flash back. Vapor from the solvent may accumulate in container headspace, resulting in flammability hazard. High vapor concentration in air may cause an explosion hazard. Excessive thermal conditions may yield corrosive and/or toxic fumes.

Special Protective Equipment/Precautions for Firefighters: As in any fire, wear MSHA/NIOSH-approved (or equivalent), self-contained, positive-pressure or pressure-demand breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Ventilate area of leak or spill. Isolate hazard area and keep unnecessary and unprotected personnel away from the area of the leak or spill. Keep upwind. Keep out of low areas. Wear appropriate personal protective equipment (see Section 8). Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing.

Emergency Procedures: Evacuate surrounding personnel as needed. In case of chemical emergency, or if unsure how to address an accidental release, consult a professional (see Section 1).

Methods for Containment: Eliminate all sources of ignition. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements, or confined areas. Dike the spilled material, where this is possible. Product should not be released to the environment. Contain and recover liquid when possible.

Methods for Cleanup: Absorb spill with an inert material (e.g. vermiculite, dry sand, earth, cloth, or fleece) and place in a non-combustible container for reclamation or disposal. Do not flush to sewer. Clean contaminated surface thoroughly. Residues from spills can be diluted with water. Never return spills in original containers for reuse. Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Handling: Do not handle, store, or open near an open flame, sources of heat, or sources of ignition. Wear personal protective equipment (see Section 8). Use only in well-ventilated areas. Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin, eyes, and clothing. Do not breathe vapors or spray mist. Do not ingest. When using, do not eat, drink, or smoke. Take precautionary measures against static discharge. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials (see Section 10). Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Containers of this material may be hazardous when empty, as they retain product residues. Observe all warnings and precautions listed for this product.

Storage: Store in a cool, dry, ventilated area. Store in a segregated and approved area away from heat and incompatible materials (see Section 10). Store in original container. Keep containers tightly closed and upright. Keep away from food, drink, and animal foodstuffs. Keep out of the reach of children. Ground container and transfer equipment. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of this product.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Water:	No information found.		
Pyridine:	OSHA:	PEL:	15 mg/m ³
		TLV:	3.1 mg/m ³
Phosphoric Acid:	OSHA:	PEL:	1 mg/m ³
	ACGIH:	TLV:	1 mg/m ³
		STEL:	3 mg/m ³

Engineering Controls: Ensure adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Measures:

Eye/Face Protection: Wear safety glasses with side shields or goggles and a face shield. Maintain approved eye wash station and accessible rinse facilities in work area.

Skin Protection: Wear appropriate chemical resistant clothing (with long sleeves) and appropriate chemical resistant gloves.

Respiratory Protection: An air-purifying, NIOSH-approved respirator with appropriate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Use a full-face, positive-pressure, air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are unknown, or if any other circumstances exist where air-purifying respirators may not provide adequate protection.

Specific Requirements for Personal Protective Equipment: Ensure that glove material is compatible with this product. This information is available from glove manufacturers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are given at 25 °C and standard pressure.

Appearance: Colorless, transparent liquid.

Odor: Pungent, characteristic.

Odor Threshold: No information found.

Formula Weight: Mixture.

pH: 6.7

Melting/Freezing Point: < 0 °C

Boiling Point/Range: > 100 °C

Decomposition Temperature: No information found.

Flash Point:	≤ 60 °C
Auto-ignition Temperature:	No information found.
Flammability:	Combustible.
Flammability/Explosive Limits:	No information found.
Solubility:	Miscible with water.
Vapor Pressure:	No information found.
Vapor Density:	No information found.
Specific Gravity:	0.996 (Water = 1)
Evaporation Rate:	No information found.
Viscosity:	No information found.
Partition Coefficient (n-octanol/water):	No information found.

10. STABILITY AND REACTIVITY

Reactivity Data:	Flammable. See Section 9.
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Excessive heat, incompatible materials.
Incompatible Materials:	Strong bases, strong acids, oxidizers, metals.
Hazardous Decomposition Products:	Carbon oxides, nitrogen oxides, toxic fumes.
Possibility of Hazardous Reactions:	Combustible. May react vigorously, violently, or explosively with the incompatible materials listed above. Excess thermal conditions may yield hazardous decomposition products listed above.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Exposure:	Inhalation, ingestion, skin contact, eye contact.												
Acute Effects:	Harmful if swallowed, inhaled, absorbed through the skin. May cause irritation if exposed to the eyes. May enter lungs if vomited.												
Chronic Effects:	Prolonged or repeated exposure may cause mutagenic effects.												
Toxicological Data:	<table> <tr> <td>Water:</td> <td>No information found.</td> </tr> <tr> <td>Pyridine:</td> <td> <table> <tr> <td>LD₅₀ Oral, Rat:</td> <td>891 mg/kg</td> </tr> <tr> <td>LD₅₀ Dermal, Rabbit:</td> <td>1121 mg/kg</td> </tr> <tr> <td>LC₅₀ Inhalation, Rat:</td> <td>14.25 mg/L 4 h</td> </tr> <tr> <td colspan="2">May cause irritation to eyes and skin based on animal data.</td> </tr> </table> </td> </tr> </table>	Water:	No information found.	Pyridine:	<table> <tr> <td>LD₅₀ Oral, Rat:</td> <td>891 mg/kg</td> </tr> <tr> <td>LD₅₀ Dermal, Rabbit:</td> <td>1121 mg/kg</td> </tr> <tr> <td>LC₅₀ Inhalation, Rat:</td> <td>14.25 mg/L 4 h</td> </tr> <tr> <td colspan="2">May cause irritation to eyes and skin based on animal data.</td> </tr> </table>	LD ₅₀ Oral, Rat:	891 mg/kg	LD ₅₀ Dermal, Rabbit:	1121 mg/kg	LC ₅₀ Inhalation, Rat:	14.25 mg/L 4 h	May cause irritation to eyes and skin based on animal data.	
Water:	No information found.												
Pyridine:	<table> <tr> <td>LD₅₀ Oral, Rat:</td> <td>891 mg/kg</td> </tr> <tr> <td>LD₅₀ Dermal, Rabbit:</td> <td>1121 mg/kg</td> </tr> <tr> <td>LC₅₀ Inhalation, Rat:</td> <td>14.25 mg/L 4 h</td> </tr> <tr> <td colspan="2">May cause irritation to eyes and skin based on animal data.</td> </tr> </table>	LD ₅₀ Oral, Rat:	891 mg/kg	LD ₅₀ Dermal, Rabbit:	1121 mg/kg	LC ₅₀ Inhalation, Rat:	14.25 mg/L 4 h	May cause irritation to eyes and skin based on animal data.					
LD ₅₀ Oral, Rat:	891 mg/kg												
LD ₅₀ Dermal, Rabbit:	1121 mg/kg												
LC ₅₀ Inhalation, Rat:	14.25 mg/L 4 h												
May cause irritation to eyes and skin based on animal data.													

Phosphoric Acid: LD₅₀ Oral, Rat: 1530 mg/kg
LD₅₀ Dermal, Rabbit: 2740 mg/kg
Corrosive to skin and eyes based on animal data.
May cause mutagenic effects based on animal data.

Symptoms of Exposure: Irritation, burning, coughing, wheezing, shortness of breath, hoarseness, dizziness, laryngitis, headache, nausea, vomiting, diarrhea, tachycardia.

Carcinogenic Effects: No component of this product is considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC: Pyridine: Group 3 – Not classifiable as to its carcinogenicity to humans

ACGIH: Pyridine: A3 – Confirmed animal carcinogen with unknown relevance to humans

12. ECOLOGICAL INFORMATION

Ecotoxicological Data: Water: No information found.

Pyridine: EC₅₀, Water Flea (*Daphnia magna*): 940 mg/L 48 h
LC₅₀, Fathead Minnow (*Pimephales promelas*): 93.8 mg/L 96 h

Phosphoric Acid: No information found.

Persistence and Degradability: Expected to be readily biodegradable.

Environmental Effects: Harmful to aquatic organisms. Avoid release to the environment.

13. DISPOSAL INFORMATION

Disposal Instructions: Dispose of this material and its container to hazardous or special waste collection point. Minimize exposure to product waste (see Section 8). Do not dispose unused waste down drains or into sewers. All wastes must be handled in accordance with local, state, and federal regulations.

Contaminated Packaging: Because emptied containers retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

Waste Codes: No information found.

14. TRANSPORT INFORMATION

DOT:

UN Number: UN1993

Proper Shipping Name: Flammable liquids, n.o.s. (Pyridine)

Hazard Class: 3

Packing Group: III

ERG Number: 128

Environmental Hazard Regulations: Not a marine pollutant.

Other Transport Precautions: DOT Reportable Quantity: Pyridine: 1000 lb
Phosphoric Acid: 5000 lb

15. REGULATORY INFORMATION

U.S. Federal Regulations:

OSHA: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Inventory: All components of this product are on the U.S. TSCA Inventory.

U.S. EPCRA (SARA Title III):

Section 302: No information found.

Sections 311/312:

Hazard Category	List (Yes/No)
Section 311 – Hazardous Chemical	Yes
Immediate Hazard	Yes
Delayed Hazard	Yes
Fire Hazard	No
Pressure Hazard	No
Reactivity Hazard	No

Section 313: Pyridine

CERCLA Reportable Quantities: Pyridine: 1000 lb
Phosphoric Acid: 5000 lb

International Inventories:

Country or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	N/A
Canada	Domestic Substances List (DSL)	N/A
Canada	Non-Domestic Substances List (NDSL)	N/A
China	Inventory of Existing Chemical Substances in China (IECSC)	N/A
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	N/A
Europe	European List of Notified Chemical Substances (ELINCS)	N/A
Japan	Inventory of Existing and New Chemical Substances (ENCS)	N/A
Korea	Existing Chemicals List (ECL)	N/A
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	N/A

*A "Yes" indicates that the listed component(s) of this product comply with the inventory requirements administered by the governing countries.

16. OTHER INFORMATION

Disclaimer:

Rocky Mountain Reagents, Inc. provides the information in this Safety Data Sheet in the belief that it is reliable but assumes no responsibility for its completeness or accuracy. The physical properties reported in this SDS are obtained from literature and do not constitute product specifications. Rocky Mountain Reagents, Inc. makes and gives no representations or warranties with respect to the information contained herein or the product to which it refers, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose. No warranty against infringement of any patent, copyright or trademark is made or implied. This SDS is intended only as a guide to the appropriate handling of the material by a properly trained person. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. Accordingly, Rocky Mountain Reagents, Inc. assumes no liability whatsoever for the use of or reliance upon this information including results obtained, incidental or consequential damages, or lost profits.

Issue Date:

May 19, 2016

Reason for Revision:

Update of Section 9 over 06/01/2015 version.